The opinion in support of the decision being entered today was <u>not</u> written for publication and is <u>not</u> binding precedent of the Board.

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES

Ex parte JOSEPH A. KWAK

Appeal No. 2005-2331 Application No. 10/085,203

HEARD: NOVEMBER 16, 2005

MAILED

NOV 3 0 2005

U.S. PATENT AND TRADEMARK OFFICE BOARD OF PATENT APPEALS AND INTERFERENCES

Before KRASS, DIXON, and BARRY, <u>Administrative Patent Judges</u>.

KRASS, <u>Administrative Patent Judge</u>.

DECISION ON APPEAL

This is a decision on appeal from the final rejection of claims 1-23.

The invention pertains to wireless communication systems. In particular, it relates to a modification to such systems by employing a physical layer (PHY) automatic repeat request (ARQ) scheme. Conventionally, in a layer 2 ARQ, data blocks unsuccessfully transmitted to subscribers are buffered and retransmitted from layer 2. The data blocks stored in layer 2, typically large, are transmitted for high signal-to-noise ratio reception, are received with a low block error rate, and are

Application No. 10/085,203

infrequently retransmitted. The layer 2 ARQ signaling is also typically slow and requires large buffers and long retransmission intervals.

As an improvement over this conventional system, the instant invention, at the transmitter, receives data and formats the received data into packets having a particular encoding/data modulation. The transmitter contains n channels for transmitting the packets and retransmitting the packets in response to not receiving a corresponding acknowledgment for a given packet. An adaptive modulation and coding controller in the transmitter collects retransmission statistics and adjusts the particular encoding/data modulations using the collected statistics.

On the receiver end, the receiver receives the packets and, through an n-channel hybrid ARQ combiner/decoder, combines packet transmissions, decodes packets and detects packet errors. An acknowledgment for each packet is transmitted from the receiver if that packet has an acceptable error rate. An in-sequence delivery element delivers acceptable packets to higher layers.

Representative independent claim 1 is reproduced as follows:

- 1. A subscriber unit implementing physical layer automatic repeat request, comprising:
 - a transmitter having:
- a physical layer transmitter for receiving data, formatting the received data into packets, each packet having a particular

encoding/data modulation, transmitting the packets, and retransmitting packets in response to failure to receive a corresponding acknowledgment for a given packet;

an acknowledgment receiver for receiving the corresponding acknowledgment; and

an adaptive modulation and coding controller for collecting retransmission statistics and adjusting the particular data encoding/modulation using the collected statistics; wherein if the collected statistics indicate a low number of retransmissions, a higher capacity encoding/modulation scheme is selected as the particular encoding/data modulation and if the collected retransmission statistics indicate a high number of retransmissions, a lower capacity encoding/data modulation scheme is selected as the particular encoding/data modulation; and

- a receiver having:
- a physical layer receiver for demodulating the packets;
- a combiner/decoder for buffering, decoding and detecting packet errors; and

an acknowledgment generator for generating an acknowledgment for each packet if the packet has an acceptable error rate.

The examiner relies on the following references:

Haartsen Agee Schramm et al. (Schramm)	6,021,124 6,128,276 6,208,663	Feb. 01, 2000 Oct. 03, 2000 Mar. 27, 2001
Yonge, III et al. (Yonge)	6,522,650	Feb. 18, 2003 (filed Aug. 04, 2000)
Sipola	6,529,561	Mar. 04, 2003 (filed May 10, 2001)

Claims 7, 8, and 10-12 stand rejected under 35 U.S.C. §102 (e) as anticipated by Schramm.

Claims 1-6, 9, and 13-23 stand rejected under 35 U.S.C. §103. As evidence of obviousness, the examiner offers Schramm and Agee with regard to claim 9, and Sipola and Schramm with

regard to claims 1, 2, 5, and 6, adding Agee to this latter combination with regard to claims 3 and 4. With regard to claims 13-15 and 21-23, the examiner offers Haartsen and Schramm, adding Sipola with regard to claims 18-20, but adding Yonge with regard to claims 16 and 17.

Reference is made to the briefs and answer for the respective positions of appellant and the examiner.

OPINION

Turning, first, to the rejection based on 35 U.S.C. §102(e), a rejection for anticipation under section 102 requires that the four corners of a single prior art document describe every element of the claimed invention, either expressly or inherently, such that a person of ordinary skill in the art could practice the invention without undue experimentation. <u>In re Paulsen</u>, 30 F.3d 1475, 1478-79, 31 USPQ2d 1671, 1673 (Fed. Cir. 1994).

It is the examiner's position, with regard to independent claim 7, that Schramm, in Figures 3 and 5, discloses the claimed physical automatic request repeat apparatus, comprising a transmitter (radio base station (RBS) 22) having a means for receiving data, means for formatting the received data into

packets (citing column 5, lines 46-58), means for transmitting the packets (citing column 5, lines 25-45), means for retransmitting a packet, if acknowledgment for that packet is not received (citing column 7, lines 39-53), means for collecting retransmission statistics (citing column 7, lines 1-13), and means for adjusting each particular data modulation using the collected retransmission statistics (citing column 7, lines 1-38), wherein if the collected retransmission statistics indicate a low number of retransmissions, a higher capacity encoding/data modulation scheme is selected as the particular encoding/data modulation and if the collected retransmission statistics indicate a high number of retransmissions, a lower capacity encoding/data modulation scheme is selected as the particular encoding/data modulation (citing column 7, line 1, through column 8, line 22, and claim 27), a receiver means (citing MS 12), a means for receiving packets (MS 12), a means for decoding and error checking each received packet (citing column 5, line 46, through column 6, line 11), and means for generating an acknowledgment at the physical layer if that received packet has an acceptable error rate (citing column 7, lines 39-53).

Appellant argues that all Schramm is disclosing at column 7, lines 1-12, is that after transmission of a block has failed a

specified number of times, the block is transmitted using an alternative scheme having an improved noise and/or interference rejection. It is appellant's position that counting a number of failed attempts of retransmitting a given packet does not constitute "collecting retransmission statistics."

We disagree with this argument of appellant. Clearly, the broad claim recitation of "collecting retransmission statistics" is met by Schramm's disclosure of counting a number of failed attempts at retransmission since the number of retransmission failed attempts is also a "statistic" even if not the statistic appellant had in mind.

Next, appellant argues that the instant invention "adjusts to a higher capacity encoding/data modulation scheme in response to a low number of retransmission statistics" (principal briefpage 6), which allows for the system to achieve an optimum encoding/data modulation scheme using retransmission statistics. It is appellant's contention that applying Schramm to a low retransmission environment "would result in either no change to the scheme (the threshold not being exceeded) or, ironically, to a lower capacity scheme (if a retransmission is required and the threshold is exceeded)" (principal brief-page 7). Therefore,

Application No. 10/085,203

concludes appellant, Schramm "would never move to a higher capacity scheme based on acknowledgements or negative acknowledgements" (sic, principal brief-page 7).

Again, we disagree with appellant. As we read Schramm's disclosure, at column 7, lines 1-13, when the "quality of the connection is not sufficient for the current FEC coding and/or modulation scheme," an alternative scheme for retransmission processing is selected. That alternative scheme is given as QPSK modulation, for example, and this is "designed to have improved noise and/or interference resistance." Previously, at column 2, lines 23-40, for example, Schramm explains that QPSK is an exemplary "lower level modulation" but that, by way of comparison, 16QAM is a higher level modulation (lines 24-26), and that "16QAM provides twice the user bit rate of QPSK..." (lines 39-40).

Putting this disclosure together, it appears to us that what Schramm is disclosing at the cited portion of column 7 is that when the quality of the connection at 16QAM is not sufficient, i.e., there are a higher number of retransmissions because the quality of the connection is insufficient, then the alternative scheme of QPSK, a lower capacity encoding/modulation scheme than

16QAM, is employed. Clearly, the inverse of this is also true, so that where there is a lower number of retransmissions indicated, the modulation scheme selected is the higher capacity 16QAM modulation scheme. Thus, in our view the language of instant independent claims 7 is met by Schramm.

Appellant further argues that "the present invention uses the retransmission statistics to adjust the encoding/modulation scheme. This is clearly different to (sic, from?) resetting the scheme for each block of Schramm, which is performed automatically after a successful transmission" (principal briefpage 7).

We do not find this argument to be persuasive of patentability since Schramm does use retransmission statistics to adjust the encoding/modulation scheme. As pointed out <u>supra</u> with regard to column 7, the selection of an alternative scheme is based on the quality of the connection which, itself, is based on the number of requests for retransmission. If there is a large number of retransmission requests, then, clearly, the connection is insufficient and an alternative encoding/modulation scheme is selected.

Accordingly, since we find that the examiner has set forth a reasonable case of anticipation, pointing to disclosure within

Schramm corresponding to each and every one of the claimed elements, and appellant has not convinced us of any error in the examiner's reasoning, we will sustain the rejection of claims 7, 8, and 10-12 under 35 U.S.C. §102 (e). Claims 8 and 10-12 fall with independent claim 7 in accordance with appellant's grouping of the claims.

Turning to the rejection of claim 9 under 35 U.S.C. §103, the examiner relies on Agee, in combination with Schramm, for the teaching of transmitting packets using an OFDMA air interface in which frequency subchannels in an OFDMA set may be selectively nulled. Specifically, the examiner points to column 4, line 19, through column 5, line 40, of Agee, for a radio communication method that is compatible with discrete multiple tone and orthogonal frequency-division multiplex-like frequency channelization techniques.

The examiner concludes that it would have been obvious to add a method that transmits packets using an OFDMA air interface, as suggested by Agee, in the method of Schramm "in order to allow stationary and linear channel distortion to be modeled as an exactly multiplicative effect on the transmit spreading code" (answer-page 8).

Appellant's response is to acknowledge that Agee mentions OFDMA in passing in columns 4-5, but appellant contends that it does not disclose¹ nulling sub-channels or, in particular, the nulling of the sub-channels as the adjusting of the modulation and coding scheme (principal brief-page 7).

We disagree with appellant. First, we note that appellant does not argue the noncombinability of the references, but, rather, only that Agee fails to disclose nulling sub-channels or, in particular, the nulling of the sub-channels as the adjusting of the modulation and coding scheme. Next, we note that, contrary to appellant's argument, claim 9 does not require the nulling of sub-channels as the way to adjust the modulation and coding scheme. The claim merely states that packets are transmitted using an OFDMA air interface and the FEC encoding/data modulation adjusting is performed in addition to selective nulling of subchannels in an OFDMA set. Having something performed in addition to selective nulling of subchannels does not have the same meaning as having that something, viz., adjustment of encoding/data modulation,

¹We assume that appellant meant to say that Agee does *not* disclose these features, but page 7 of the principal brief actually recites that "[Agee] does disclose nulling sub-channels or, in particular, the nulling of the sub-channels as the adjusting of the modulation and coding scheme..."

performed via selective nulling of subchannels, as appellant appears to now be arguing. Since the examiner has reasonably shown that Agee discloses the transmitting of packets by an OFDMA air interface and the selective nulling of subchannels, with a reasonable explanation as to why the skilled artisan would have modified Schramm with these teachings of Agee, and appellant has offered nothing but merely to deny that Agee discloses nulling sub-channels, without further explanation, we will sustain the rejection of claim 9 under 35 U.S.C. §103, as well as the rejection of claims 3 and 21, which fall with claim 9, under 35 U.S.C. §103.

We turn to the claims of Group 3, viz., claims 4, 10, and 22. With respect to these claims, appellant contends that while Schramm is cited as disclosing the use of a single carrier-frequency division equalization (SC-FDE), Schramm does not even mention SC-FDE, except that "the present invention is readily applied to all types of access methodologies" at column 4, lines 51-53.

We will sustain the rejection of claims 4, 10, and 22 under 35 U.S.C. §103 because appellant's argument is merely a general allegation that Schramm does not disclose what the examiner

contends that it discloses. However, the examiner, reasonably in our view, contends that Schramm's general recitation of his invention being applicable "to all types of access methodologies" is also applicable to SC-FDE, and appellant has offered absolutely no explanation as to why the examiner's allegation is unreasonable or erroneous.

Finally, with regard to the claims of Group 4, claims 5, 11, and 23 stand rejected under 35 U.S.C. §103.

Appellant argues that these claims recite the use of a fast feedback channel for the acknowledgments, which is not disclosed by Schramm or the other applied references. Appellant argues that the advantage of this feature is that it allows for fast acknowledgment and fast adaptation of the encoding/modulation scheme to the channel conditions as reflected by the fast accumulating retransmission statistics.

The examiner asserts that Schramm discloses a "control channel" used for signaling on the uplink (ACK/NAK) at column 6, lines 64-67, and that since a control channel is a separate channel from the data channels, it is a fast feedback channel (answer-page 18). The examiner's rejection relied on column 4, lines 49-56, for the feature of acknowledgments transmitted on a fast feedback channel using a CDMA air interface.

Again, we view the examiner's explanation as reasonable, since column 4, lines 49-56, of Schramm indicates that a subscriber unit may use a "code division multiple access (CDMA) air interface (note specifically lines 55-56), and column 6, lines 64-67, indicates that a control channel is to be used for retransmission, which, obviously, may be used for acknowledgments. Since this control channel is separate from a data channel, and "fast" is a relative term, undefined by the instant claims or appellant, it is reasonable to find that Schramm suggests the use of a CDMA air interface and that acknowledgments are transmitted on a fast feedback channel, as claimed.

Perhaps appellant may have been able to make an argument to convince us of the nonobviousness of this claimed subject matter, but, for whatever reason, appellant makes no such argument.

Appellant merely generally alleges that Schramm does not disclose the use of a fast feedback channel for acknowledgments, but does not respond to the examiner's specific position. Thus, since appellant has not convinced us of any error in the examiner's reasoning, we will sustain the rejection of claims 5, 11, and 23 under 35 U.S.C. §103.

We have sustained the rejection of claims 7, 8, and 10-12 under 35 U.S.C. §102 (e) and we have sustained the rejection of claims 1-6, 9, and 13-23 under 35 U.S.C. §103. Accordingly, the examiner's decision is affirmed.

No time period for taking any subsequent action in connection with this appeal may be extended under $37 \ \S \ 1.136$ (a)(1)(iv).

<u>AFFIRMED</u>

ERROL A. KRASS

Administrative Patent Judge

JOSEPH L. DIXON

Administrative Patent Judge

BOARD OF PATENT

APPEALS

) AND INTERFERENCES

LANCE LEONARD BARRY

Administrative Patent Judge

VOLPE & KOENIG, P.C. DEPT. ICC UNITED PLAZA, SUITE 1600 30 SOUTH 17TH STREET PHILADELPHIA, PA 19103